WATER SUPPLY

# MISSISSIPPI STATE DEPARTMENT OF HEALTH BUREAU OF PUBLIC WATER SUPPLY CCR CERTIFICATION

# City of Calhoun City Water Public Water Supply Name

List PWS ID #s for all Community Water Systems included in this CCR

The Federal Safe Drinking Water Act (SDWA) requires each Community public water system to develop and distribute a Consumer Confidence Report (CCR) to its customers each year. Depending on the population served by the public water system, this CCR must be mailed or delivered to the customers, published in a newspaper of local circulation, or provided to the cus ema

		ability of CCR by: (A		spaper of local circulaributing the CCR, at apply, ublication, water i	
	Advertisement FOn water bills ( Email message	in local paper (attach (attach copy of bill) (MUST Email the m	n copy of advert	isement) Idress below)	,
Date(s) cust	omers were informed	(Newspaper) 1: 5/6/15,	/ / ,	5/1/15	(water bills)
	tributed by U.S. Po	ostal Service or other	er direct delive	ry. Must specify	
Date Mailed	/Distributed:/				1,41,4
CCR was distr	- I I NO GIT GUGUILITUI	UST Email MSDH a vide URL nt he body of the email		Date Emailed:	
CCR was publ	ished in local newspa	aper. (Attach copy of	published CCI	R or proof of publi	ication)
		UN Co. Journ			,
Date Publish	ed: <u>5/6/</u> 13	<u>5</u>	11. 14.1	/ _	And the second s
CCR was poste	ed in public places. (2	Attach list of location	City flow 13) Library	Date Posted: 4	129/15
- var man poore		ssible internet site at	the following a	ddress ( <u>DIRECT</u>	URL REQUIRE
CCR was poste	ed on a publicly acce	association and at			

Deliver or send via U.S. Postal Service: Bureau of Public Water Supply P.O. Box 1700 Jackson, MS 39215

May be faxed to: (601)576-7800

May be emailed to: water.reports@msdh.ms.gov

#### 2014 Annual Drinking Water Quality Report Calhoun City Water Department PWS#: 0070004 April 2015

We're pleased to present to you this year's Annual Quality Water Report. This report is designed to inform you about the quality water and services we deliver to you every day. Our constant goal is to provide you with a safe and dependable supply of drinking water. We want you to understand the efforts we make to continually improve the water treatment process and protect our water resources. We are committed to ensuring the quality of your water. Our water source is from wells drawing from the Gordo Formation Aquifer.

If you have any questions about this report or concerning your water utility, please contact Joseph Shane Cook at 662.983.8744. We want our valued customers to be informed about their water utility. If you want to learn more, please attend any of our regularly scheduled meetings. They are held on the first Tuesday of each month at 6:30 PM at the Calhoun City- City Hall.

The source water assessment has been completed for our public water system to determine the overall susceptibility of its drinking water supply to identified potential sources of contamination. A report containing detailed information on how the susceptibility determinations were made has been furnished to our public water system and is available for viewing upon request. The wells for the Calhoun City Water Department have received lower susceptibility rankings to contamination.

We routinely monitor for constituents in your drinking water according to Federal and State laws. This table below lists all of the drinking water contaminants that we detected during the period of January 1st to December 31st, 2014. In cases where monitoring wasn't required in 2014, the table reflects the most recent results. As water travels over the surface of land or underground, it dissolves naturally occurring minerals and, in some cases, radioactive materials and can pick up substances or contaminants from the presence of animals or from human activity; microbial contaminants, such as viruses and bacteria, that may come from sewage treatment plants, septic systems, agricultural livestock operations, and wildlife; inorganic contaminants, such as salts and metals, which can be naturally occurring or result from urban storm-water runoff, industrial, or domestic wastewater discharges, oil and gas production, mining, or farming; pesticides and herbicides, which may come from a variety of sources such as agriculture, urban storm-water runoff, and residential uses; organic chemical contaminants, including synthetic and volatile organic chemicals, which are by-products of industrial processes and petroleum production, and can also come from gas stations and septic systems; radioactive contaminants, which can be naturally occurring or be the result of oil and gas production and mining activities. In order to ensure that tap water is safe to drink, EPA prescribes regulations that limit the amount of certain contaminants in water provided by public water systems. All drinking water, including bottled drinking water, may be reasonably expected to contain at least small amounts of some constituents. It's important to remember that the presence of these constituents does not necessarily indicate that the water poses a health risk.

In this table you will find many terms and abbreviations you might not be familiar with. To help you better understand these terms we've provided the following definitions:

Action Level - the concentration of a contaminant which, if exceeded, triggers treatment or other requirements which a water system must follow.

Maximum Contaminant Level (MCL) - The "Maximum Allowed" (MCL) is the highest level of a contaminant that is allowed in drinking water. MCLs are set as close to the MCLGs as feasible using the best available treatment technology.

Maximum Contaminant Level Goal (MCLG) - The "Goal"(MCLG) is the level of a contaminant in drinking water below which there is no known or expected risk to health. MCLGs allow for a margin of safety.

Maximum Residual Disinfectant Level (MRDL) — The highest level of a disinfectant allowed in drinking water. There is convincing evidence that addition of a disinfectant is necessary to control microbial contaminants.

Maximum Residual Disinfectant Level Goal (MRDLG) — The level of a drinking water disinfectant below which there is no known or expected risk of health. MRDLGs do not reflect the benefits of the use of disinfectants to control microbial contaminants.

Parts per million (ppm) or Milligrams per liter (mg/l) - one part per million corresponds to one minute in two years or a single penny in \$10,000.

Parts per billion (ppb) or Micrograms per liter - one part per billion corresponds to one minute in 2,000 years, or a single penny in \$10,000,000.

				TEST R	ESU	LT	'S			
Contaminant	Violation Y/N	Date Collected	Level Detected	Range of Detects or # of Samples Exceeding MCL/ACL	Un Meas -me	sure	MCLG	MCL	Likely Source of Co	ntamination
Radioactiv	ve Cont	aminan	its	:		:				
5. Gross Alpha	N	2012*	10	.4 - 10		pCi/f	L	0	15	Erosion of natura deposits
6. Radium 226 Radium 228	Y	2012*	5.1	No Range		pÇi/	1	0	5	Erosion of natura deposits
Inorganic	Contar	ninants		,		1				
8. Arsenic	N	2011*	2.1	1.7 2.1	ppb		n/a	50	Erosion of natural d orchards; runoff fror electronics producti	n glass and

10. Barlum	N	2011*	.16	.1016	mqq	2	2	Discharge of drilling wastes; discharge from metal refineries; erosion of natural deposits	
13. Chromium	N	2011*	.8	.78	bbp	100	100	Discharge from steel and pulp mills; erosion of natural deposits	
14. Copper	N	2012/14	.4	O	ppm	1.3	AL=1.3	Corrosion of household plumbing systems; erosion of natural deposits; leaching from wood preservatives	
16, Fluoride**	N	2011*	1.77	.37 1.77	ppm	4	4	Erosion of natural deposits; water additive which promotes strong teeth; discharge from fertilizer and aluminum factories	
17. Lead	N	2012/14*	3	0	ppb	0	AL=15	Corrosion of household plumbing systems, erosion of natural deposits	
19. Nitrate (as Nitrogen)	N	2014	.58	No Range	ppm	10	10	Runoff from fertilizer use; leaching from septic tanks, sewage; erosion of natural deposits	
20. Nitrite (as Nitrogen)	N	2014	,18	No Range	ppm	1	1	Runoff from fertilizer use; leaching from septic tanks, sewage; erosion of natural deposits	
21, Selenium	N	2011*	5.9	5.7 5.9	ppb	50	50	Discharge from petroleum and metal refineries; erosion of natural deposits; discharge from mines	
Disinfecti	on By	-Product	§						
81. HAA5	N	2014	1	No Range	ppb	0	6	By-Product of drinking water disInfection.	
Chlorine	N	2014	.6	:37	Mg/l	0	MDRL =	Water additive used to control microbes	

<sup>\*</sup> Most recent sample. No sample required for 2014.

We are required to monitor your drinking water for specific constituents on a monthly basis. Results of regular monitoring are an indicator of whether or not our drinking water meets health standards. In an effort to ensure systems complete all monitoring requirements, MSDH now notifies systems of any missing samples prior to the end of the compliance period.

If present, elevated levels of lead can cause serious health problems, especially for pregnant women and young children. Lead in drinking water is primarily from materials and components associated with service lines and home plumbing. Our water system is responsible for providing high quality drinking water, but cannot control the variety of materials used in plumbing components. When your water has been sitting for several hours, you can minimize the potential for lead exposure by flushing your tap for 30 seconds to 2 minutes before using water for drinking or cooking. If you are concerned about lead in your water, you may wish to have your water tested. Information on lead in drinking water, testing methods, and steps you can take to minimize exposure is available from the Safe Drinking Water Hotline or at http://www.epa.gov/safewater/lead. The Mississippi State Department of Health Public Health Laboratory offers lead testing. Please contact 601.576.7582 if you wish to have your water tested.

To comply with the "Regulation Governing Fluoridation of Community Water Supplies", the City of Calhoun City is required to report certain results pertaining to fluoridation of our water system. The number of months in the previous calendar year in which average fluoride samples results were within the optimal ranger of 0.7 – 1.3 ppm was 11. The percentage of fluoride samples collected in the previous calendar year that was within the optimal range of 0.7 – 1.3 ppm was 92%.

All sources of drinking water are subject to potential contamination by substances that are naturally occurring or man made. These substances can be microbes, inorganic or organic chemicals and radioactive substances. All drinking water, including bottled water, may reasonably be expected to contain at least small amounts of some contaminants. The presence of contaminants does not necessarily indicate that the water poses a health risk. More information about contaminants and potential health effects can be obtained by calling the Environmental Protection Agency's Safe Drinking Water Hotline at 1-800-426-4791.

Some people may be more vulnerable to contaminants in drinking water than the general population. Immuno-compromised persons such as persons with cancer undergoing chemotherapy, persons who have undergone organ transplants, people with HIV/AIDS or other immune system disorders, some elderly, and infants can be particularly at risk from infections. These people should seek advice about drinking water from their health care providers. EPA/CDC guidelines on appropriate means to lessen the risk of infection by cryptosporidium and other microbiological contaminants are available from the Safe Drinking Water Hotline 1-800-426-4791.

The Calhoun City Water Department works around the clock to provide top quality water to every tap. We ask that all our customers help us protect our water sources, which are the heart of our community, our way of life and our children's future.

Please note: this report will not be mailed to the customers individually, however, a copy may be requested from Calhoun City - City Hall.

<sup>\*\*</sup> Fluoride level is routinely adjusted to the MS State Dept of Health's recommended level of 0.7 - 1.3 mg/l.

## **Proof Of Publication**

### STATE OF MISSISSIPPI, COUNTY OF CALHOUN

Personally came before me, the undersigned, a Notary Public, in and for Calhoun County, Mississippi, Joel McNeece, Publisher of The Calhoun County Journal, a newspaper published in Bruce, Calhoun County, in said state, who being duly sworn, deposes and says that The Calhoun County Journal is a newspaper as defined and prescribed in Senate Bill No. 203 enacted at the regular session of the Mississippi Legislature of 1948, amending Section 1858 of the Mississippi Code of 1942, and the publication of a notice, of which annexed copy, in the matter of

### CITY OF CALHOUN CITY WATER QUALITY REPORT

has been made in said newspaper one time, to-

foel McNelce

On the 06 day of MAY 2015

Joel McNeece Publisher

Sworn to and subscribed before me, this 06 day of MAY, 2015.

Lisa Denley McNeece, Notary Public

y commission expires March 28, 2018



# Calhoun City Water Dept. Drinking Water Quality Report

2014 Annual Drinking Water Outsity Report Calhoon City Water Department PWS#: 0070004 April 2015

White desired to proceed to you they pearly amount Quality Water Record. This expert is designed to enture you proved the quality writer or generative not either to you covery ago, the processing within a red and improveded simply of dishking views. He was not you controlled to either a processing of dishking views. He was not you understand the effects was caused to controlled interest the water footbash of processing and quality of your views. Our water storous to these water dishanced process and processing and quality of your views. Our water storous to these water dishanced process are compared to processing and quality of your views. Our water storous to these water dishanced when the Good Compared Acquired to the controlled in the controlled of the processing view of your processing views of the processing view of your views.

If you have any quadrons occut the repay of condaming you work with, placed could dought beam Dock at 65:000 6744, Via wall our spinor out you included about the rest with unity if you wish to bear date these things any of our reposity enhanced about the first force of the first

The contract material expressions has been exception for our policy water system to determine the event acceptably of its effects when supply to identify a contract contract of contract contracts of contracts and expression of the expression of t

We county modified for constituents in your derivings where according to Pectual and Blate tows. This table before lest, and to greatly system contributions that we detected single top rest of a leasurer Y'd to Secretary 317, 2014. It means where neverting must in register in 2014, the tobs reflects the next recent teachs, As well as further, and the rurbane of Lond at unanagement, it desirable entering recenting presents and in exemption and consistent metallicity. As well as further, and the rurbane of Lond at unanagement, it desirable entering recenting presents and the consecretary and the protection and the protection of the prot

in dis 1900 you will find many terms and electronomic you might and by horson man. To bely you become independent that a sping wellproduced to become distribute:

Action tower. The concentration of a communical water, it between they for between a other newtonians which in water system rest. Tallow.

Maninem Centropura Leval (MCL) - Tha "Materian Mankel" (MCL) to the highest hind of a controller of this is abouted in dentited white MCLs are ent as these to the MCL fit as tozetha uning the bast analolish leasureer locatelyings.

Musican Continuent that Gost (MCLG) . We "Gost (MCLG) is the least of a constant in disking what information to be a competition as a basis of CCGG about a unique of CCGG.

Provinces Residuel Conditional Land (ARRIL) - The inglices limet of a disinfectant number in contains water. There is commissly exidence the edition of a distriction of an arrival as a production of a distriction of a districti

nex all eath. WHERE as not retect the besides of the use of device that is control of trades accompanies.

have the engling feet) on performe the performance better to be a best the temperature of our works in this literature in a most beauth in \$10,000's

Pens LO Nitho (175) of Microscopes and (181) - and our are billion observables to one models in 2 000 small, or a cleab concerte \$10,000 miles

************************	************			TEST R	ESUL	TS				**********
Contembrant	Veralea 735	Dara Gelester	Detreted Detreted	Barge of Dawch or 8 of Campas Exaces of 1501/ACL	1144 1865149 40044	1.901.0	185		Liney Scute of Co.	they beto
Radioacti	ve Con	เลมานกา	ıts							
E. G ata Apha	THE STATE OF	3513.	14)	4 - 19	T/	24	Ű	1	10	Eiggeon of History
G RESEAUTE RESEAUTE SES	]v	5915.	6.7	ilo (lenge	F	57 0			E Europa el nom genorta	
Inorganic	Contro	ninants								
D. Langue,	11	2017s	2.1	17-21	Party.	F.A.		6	Linson of formel de contrate, wasti from plaction of products	gives one
to times	И	:011°	16	19 - 16	pan			- {	Odene pe el outego from mysal rategraly occosas	protein of natural
th Greenwa	k	2511.	Ł	3.5	<i>1</i> /2	10	1	100	Bushanga kom stadi signisa pi tahusi de	ons cup pake.
IC COSTY	ú	2012/14		٥	t-¢-m	1.5	145	. 1.5	Controlor of house to systems; seeden of a location team proof a	ld (Auralia) placel departs
16 Theories	य	2011	737	37- 177	0000	-		١,	Emelon of natural pa- aced the which prema- theoreting from famili- fections.	kidak, males ine eleksa sesit:
17 1 635	Ĭŧ.	Spinier	3	t	Leso.	1	N.	761	Control of Louisia	Us pivero r-g
15 Herate (12	7/	2014	48	Try Reade	1691	1,1	: <del>[</del>	16	Habel how feetings	מינול במינטפט נספע
Markets		A STATE OF	gayyin o	10 Sec. 16 March	1000	<b>引送器</b>	4		The second	स्थातक हो क्यांच्या
90 Miséler Progon	ii .	2016	16	He fizepe	10,5%		1	. !	Hungil from Lenkson servet tirks, weways departs	ere, Saming bars erestor el conutat
21 Sperion	it.	สเช	15	23-18	100	1			Cocharge from serve refreshes, estatos est cocharge from more	natural écocaks.
Disinfection	on By-J	roduct	i	·			******		2224414211231	
81 118AS	Tri	2817	1	110 H3100	\$50	7	η	G	By a notice of dies	Go nou:
Criocina	- N	2014	-2	3:3	t/GA		I I/b	R.	Water acciding use	d lu control

\* Mantistera sumpli. Na mogile respileat for 1914 \*\* Floreide weet le recommy infrared to the MS lang Pept of Hoolth's recommended least of 0.2 + 6.3 mg/l.

ta are required to menser year driving reday for execute executivizate on a membra beat. Hereits of reputar meditoring an

If necess, charted favors of less can count remote hereby preference especially for program women and young children, lend in divining water as primary from intellection and components countries from the many from a material work in the countries of the province of the countries of the countrie

To except with the Theoristica Geoverius Disciritation of Geometry Water Societies, the Gip of Catheon Day to receive to expensional Foreists pranticing to transitation of our wallst replace. The normal of intends in the Heavista Catheoniz year by which exerting transits consisted in the present exercises and provided in the Catheonization of the Cat

At excurse of distring water on budget to promise formationable by obstitence that are insteadly occurring at monomous, may be accounted as a boundary of the promise of th

Borno pagia may be mare valorabili to contembrata in direktry valor than the general population instruction comprensised plasma with a person valor career undergoes order literatury, persons valor career undergoes organ (emispham), people valor hillowing or persons valor career undergoes organ (emispham), people valor hillowing valor personal princip literatury valor descriptions, people valor des device algorithms from the career transported the career descriptions of the career people because the descriptions are disconsistent of the device of the device

The Cambrian Cay Water Department works encord the clock to provide top quarty water to away top. We sisk that of our contenents (sup as present our accessors), six and our contenents from any children's Laure.

Propto noto: the ropon will not be maked to the contoners individually, however, a copy may be consisted from Celhoun City - Chy flat

(C) (C) (C) (C) (C)	\$ (\$5.6940) at \$ (6)		RETURN THIS STUD WITH PAYMENT TO: PRESCRITED
04-0654500	03/25	04/25	CALHOUN CITY WATER DEPARTMENT PHONE PRIST U.E. FOSTAGE
•	STREET		PAGE BOX IS 626-6345 PAGE CALHOUR GITY, MS 38916 PERMITIO, 20 CAUGUS GITY, US
		9.01.151	Lancard Control was a speed control date of the
2764	2750	14	PAY RET AMOUNT 01 00 10 10 10 10 10 10 10 10 10 10 10
			31.00 4.65 35.65
			CCR REPORT AVAILABLE CITY HALL
			CCR REPORT AVAILABLE CITY HALL
WTR SWR		0.00 6.00	RETURN SERVICE REQUESTED
GRB	1.	5.00	04-0654500
NET DUE >:	>> 3	100	QUAY WOLFE
SAVE THIS	>>	4.65	
GROSS DUE	>> 3	5.65	105 HILL ST
			CALHOUN CITY MS 38916-7719
			լժիվդյեւմ   Իվեոկլ  իյթո լդյիվլիկ  Նիրրը   իկեսվիյիս